

Adhesion promoter Tech-7412

Description

Tech-7412 is modified chlorinated polypropylene compound. Compared with the common adhesion promoter which belongs to chlorinated polyolefin category, since there are reaction functional groups on the Tech-7412's chain, therefore the Tech-7412 can generate the strong occlusion capacity with polyurethane and such system, so as to improve the adhesion between paint film and polyolefin substrate very well.

Physics and Chemical properties

Ingredient: Modified Chlorinated Polypropylene

Appearance: Yellow transparent liquid

Content: 20%

Solvent: Xylene

Specialty

1. Tech-7412 can improve the adhesion between paint film and polyolefin such as polypropylene substrate.
2. Tech-7412 has the reaction functional group, thus can enhance the adhesion to paint film greatly.

Application System and Dosage

TECH-7412 is recommended to use in the oil coating systems.

Usually, it could be charged at random stage during the produce with **0.2%** to **2%** dosage to gross.

Package

25kg metal pail.

TECH Polymer

A company focus on additives since its birth

For research and development purposes only, there is no warranty of any kind, so please test its suitability in advance.

■ **Shanghai Company** –

Address: 5th Floor, Building 11, Shanghai Zhi Cheng, Lane 8666, Hunan Road, Pudong New Area, Shanghai

■ **Guangdong Company** –

Address: Unit 403, Building 1, Baozhi Garden, Leliu Street, Shunde District, Foshan City, Guangdong Province.

Tel:021-50796110 Fax:021-50796113 Tel:0757-22689820 Fax:0757-22689270

MSDS/TDS: www.tech-polymer.com.cn

