

## Substrate wetting agent Tech-27341

### Description

Tech-27341 is polyether modified fluoro-silicone compound. It can greatly decrease the surface tension and provide the strength wetting ability and without any influence on the recoat ability. Tech-27341 is an excellent substrate wetting and flattening agent with great **anti-hydrolysis** ability. It is proper for the aqueous wood lacquer, printing ink and radiation curing systems.

### Physics and Chemical properties

**Ingredient:** Polyether Modified Silicone

**Appearance:** Light yellow transparent liquid

**Content:** 25%

**Solvent:** Diethylene glycol monobutyl ether

### Specialty

Leveling	Wetting	Recoat Ability	Compatibility	Sliding	Low Foaming Stability	Anti-crater	Anti-adhesive
★★★★★	★★★★★	★★★★★	★★★★★	★	★★	★★★★★	★

### Application System and Dosage

It's suitable for the water-wood-paint, industry water-borne coatings and UV-curable coatings, printing ink systems.

The amount is in terms of the different application system, around 0.1-1% of total in common. Tech-27341 can be put in during any step of manufacture.

### Package

25kg metal pail

## TECH Polymer

A company focus on additives since its birth

For research and development purposes only, there is no warranty of any kind, so please test its suitability in advance.

#### ■ Shanghai Company –

Address: 5th Floor, Building 11, Shanghai Zhi Cheng, Lane 8666, Hunan Road, Pudong New Area, Shanghai

#### ■ Guangdong Company –

Address: Unit 403, Building 1, Baozhi Garden, Leliu Street, Shunde District, Foshan City, Guangdong Province.

Tel:021-50796110 Fax:021-50796113 Tel:0757-22689820 Fax:0757-22689270

MSDS/TDS: [www.tech-polymer.com.cn](http://www.tech-polymer.com.cn)

