

Silicone defoamer Tech-3220

Description

Tech-3220 is a organic silicone emulsion as defoamer for water base systems. It has high antifoaming efficiency at low addition. It is suitable for coating and printing ink. It is easy to disperse and low possibility to cause crater.

Physics and Chemical properties

Ingredient: Modified silicone Appearance: White emulsion Content: 20% Solvent: Water

Specialty

1. Tech-3220 defoamer is suit for water base coating systems, it could defoam as quickly as possible.

2. Tech-3220 defoamer has the serious efficiency in defoam ability at the rather low level additive dosage, and appears very well.

Application System and Dosage

Tech-3220 is recommended to use in the water borne coating systems.

Usually, it should be charged at the lapping stage during the produce with 0.05% to 1.0% dosage to gross.

Package

25kg plastic pail.



A company focus on additives since its birth

For research and development purposes only, there is no warranty of any kind, so please test its suitability in advance.
Shanghai Company -

Address: 5th Floor, Building 11, Shanghai Zhi Cheng, Lane 8666, Hunan Road, Pudong New Area, Shanghai Guangdong Company -

Address: Unit 403, Building 1, Baozhi Garden, Leliu Street, Shunde District, Foshan City, Guangdong Province. Tel:021-50796110 Fax:021-50796113 Tel:0757-22689820 Fax:0757-22689270 MSDS/TDS: www.tech-polymer.com.cn

